

(FILE 'USPAT' ENTERED AT 10:46:11 ON 16 SEP 1999)

L1 199 S (VIRTUAL OR TOUCHSCREEN OR TOUCH SCREEN OR TOUCH SENSITI
VE)
L2 930706 S SIMULTANEOUS? OR (SAME TIME)
L3 119 S L1 AND L2

=> d ti,fd, pn 7,14,47,52,61,65,66,68,80,97

US PAT NO: 5,898,861 [IMAGE AVAILABLE] L3: 7 of 119
TITLE: Transparent keyboard hot plug
DATE FILED: Oct. 18, 1996

US PAT NO: 5,867,729 [IMAGE AVAILABLE] L3: 14 of 119
TITLE: System for reconfiguring a keyboard configuration in
response to an event status information related to a
computer's location determined by using triangulation
technique
DATE FILED: Aug. 21, 1997

US PAT NO: 5,649,223 [IMAGE AVAILABLE] L3: 47 of 119
TITLE: Word based text producing system
DATE FILED: Dec. 17, 1991

US PAT NO: 5,581,484 [IMAGE AVAILABLE] L3: 52 of 119
TITLE: Finger mounted computer input device
DATE FILED: Jun. 27, 1994

US PAT NO: 5,457,454 [IMAGE AVAILABLE] L3: 61 of 119
TITLE: Input device utilizing **virtual** **keyboard**
DATE FILED: Sep. 21, 1993

US PAT NO: 5,365,461 [IMAGE AVAILABLE] L3: 65 of 119
TITLE: Position sensing computer input device
DATE FILED: Apr. 30, 1992

US PAT NO: 5,355,149 [IMAGE AVAILABLE] L3: 66 of 119
TITLE: Scanning system for touch screen keyboards
DATE FILED: May 27, 1992

US PAT NO: 5,341,133 [IMAGE AVAILABLE] L3: 68 of 119
TITLE: Keyboard having touch sensor keys for conveying
information electronically
DATE FILED: May 9, 1991

US PAT NO: 5,128,672 [IMAGE AVAILABLE] L3: 80 of 119
TITLE: Dynamic predictive keyboard
DATE FILED: Oct. 30, 1990

US PAT NO: 4,831,218 [IMAGE AVAILABLE] L3: 97 of 119
TITLE: Universal binary keyboard system
DATE FILED: Jan. 27, 1987

006363s3.txt

(FILE 'USPAT' ENTERED AT 14:59:33 ON 16 SEP 1999)

L1 22189 S (KEY# OR BUTTON# OR SWITCH##) (3A) (SAME TIME OR SIMULTANE
OUS
L2 3657 S TOUCH (3A) (DISPLAY OR PANEL)
L3 252955 S SENSITIVE
L4 1372 S L2 AND L3

Lowy

(FILE 'USPAT' ENTERED AT 14:09:19 ON 16 SEP 1999)
L1 77 S (VIRTUAL OR SOFT) (3A) (KEY# OR BUTTON#) (P) (SAME TIME
OR
L2 22189 S (KEY# OR BUTTON# OR SWITCH##) (3A) (SAME TIME OR SIMULTA
NEO
L3 0 S L2 AND (345/173-183/CCLAS)
L4 68 S L2 AND (345/173-183/CCLST)